

SAFETY DATA SHEET

Issue date: 25 January 2021 Supersedes: 7 September 2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

1.1 Product identifier	Linus Grey Light pigment powder
1.2 Relevant identified	Pigment for mixing with Linus Wall Paint White to different colours.
uses of the substance or	Sector Use - SU:
mixture and uses	SU19 Building and construction work
advised against	SU20 Health services
	SU21 Private households (= general public = consumers)
	SU22 Professional uses: Public domain
	Chemical Product Category: PC18 Ink and Toners
	Process categories [PROC]: PROC5 Mixing or blending in batch
	processes for formulation of preparations and articles (multistage
	and/or significant contact)
	ERC 8C Wide dispersive indoor use resulting in inclusion into or
	onto a matrix (paint)
	ERC 8F Wide dispersive outdoor use resulting in inclusion into or
	onto a matrix (paint)
1.3 Details of the	Allbäck Linoljeprodukter AB
supplier of the safety	
data sheet	
Address	Östra Balkåkravägen 18
	SE-271 91 Ystad
	Sweden
Phone	+46-(0)411-602 02
e-mail	allback@allbackpaint.com
Contact	Sonja Allbäck
1.4 Emergency	24 hours service is available at www.nhs.uk
telephone number	Call 112 or 999 if an acute emergency. If less acute call 111.
Issued by	Ann Martens, Ramböll Sweden AB
Phone	+46-(0)10 615 54 47

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Not classified as hazardous for health or environment.

2.2 Label elements

No hazard label required.

Other label required according to the VOC-directive and CLP.

EUH210 — 'Safety data sheet available on request'.



2.3 Other hazards

Some types of iron oxide (Fe_3O_4) can self-ignite and at the REACH registration these types have been classified as "H252 Self-heating in large quantities; may catch fire". This classification is not relevant for the small packaging this product is delivered in.

3. COMPOSITION/INFORMATION ON INGREDIENTS

EC-no	CAS-no	RECH reg	Components	Conc.	Classification	Comment
		no.	name	wt/wt		
215-	1317-		Chalk (Calcium	60-65 %		WEL
279-6	65-3		carbonate)			
243-	20344-	01-	Iron oxide	35-40 %		-
746-4	49-4	2119457554-	(FeOOH)			
		33-0000				
215-	1317-		Iron	1-3 %		
277-5	61-9		oxide(Fe ₃ O ₄)			

Explanation of abbreviations:

CAS-nr. = Chemical Abstracts Service; EU-no (Einecs or Elincs number) = European Inventory of Existing Commercial Chemical Substances or European LIst of Notified Chemical Substances. Content specified as; %, %wt/wt, %vol/wt, %vol/vol, mg/m3, ppb, ppm, wt%, vol%.

WEL = The product has a workplace exposure limit, PBT = The product is declared since it's a PBT- or a vPvB-substance.

Comments: Substances are declared according to the CLP regulation and amendments. For risk phrases in full text see section 16.

4. FIRST AID MEASURES

Move to fresh air and rest.
Wash the skin with water and soap or linseed soap.
Remove contact lenses. Rinse the eyes for a couple of
minutes. If symptoms persist, seek a physician.
Drink copious amounts of milk. Provoke vomiting if possible.
If the person is unconscious never give anything to drink or
provoke vomiting.
May cause some transient irritation to the respiratory tract.
Has no effect on skin.
Can give transient mild irritation.
Hazard of iron poisoning. Symptoms are nausea, stomach
ache and vomiting.
Access to water for rinsing eyes at the working place.
Provoke vomiting. Iron chelate complex binding agents can
be given (e.g. deferoxamine).



5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media	The product does not burn.
a. Recommended Extinguishing	a. Extinguish surrounding fire with foam, carbon dioxide,
media	powder or water spray depending on what is burning
b. Not Recommended	b. Foam containing substances that are harmful for the
Extinguishing media	environment.
5.2 Special hazards arising	None
from the substance or	
mixture	
5.3 Advise for firefighters	Wear self-contained breathing apparatus for firefighting if
	necessary.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions,	
protective equipment and	
emergency procedures	
6.1.1. For non-emergency	For personal protection equipment see section 8. Wash skin
personnel	or contaminated clothes with soap (or linseed soap) and
	water.
6.1.2 For emergency responders	Wash with water.
6.2 Environment precautions	Prevent discharge to water or the sewage system.
6.3 Methods and material for	Make embankments with sand or other inert absorbent and
containment and cleaning up	collect mechanically.
6.3.1. Surrounding embankment	
/sealing	
6.3.2 Recommended cleaning up	
measures	
6.3.3 Non-recommended	
measures	
6.4 Reference to other	For personal protection see section 8. For disposal of waste,
sections	see section 13.

7. HANDLING AND STORAGE

7.1 Precaution for safe handling	Avoid spills and prevent large quantities of the product to reach sewage system or surface water. Avoid eating, drinking and smoking in the working area. Wash hands after using the product. Remove contaminated clothing before meals.
7.2 Condition for safe	Store out of reach of children and away from food.
storage, including any	
incompatibilities	
7.3 Specific end use(s)	No specific end uses.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

National occupational exposure limits values, EH40, 2005 with updates



CAS-nr	Substance name	WEL	WEL	WEL
		8 h	5 min	15 min
1317-65-3	Calcium carbonate			
	inhalable dust	10 mg/m ³		
	respirable dust	4 mg/m ³		
1309-37-1	Iron oxide fume (as Fe)	5 mg/m ³		10 mg/m ³

WEL=Workplace Exposure Limit

PNEC and DNEL/DMEL are from the REACH registration of the substances.

CAS-nr	Subtance	PNEC	DN(M)EL
		(type of	(route of exposure)
		environment)	
20344-49-4	Iron oxide	PNEC is not relevant	Worker
	(FeOOH)		Long term exposure local effect
			DNEL Inhalation
			10 mg/m ³
			Worker
			Long term exposure local effect
			DNEL Inhalation respirable dust
			3 mg/m ³
1317-61-9	Iron oxide (Fe ₃ O ₄)	PNEC is not given at	Worker
		REACH registration.	Long term exposure system effect
			DNEL Inhalation
			10 mg/m ³
			Worker
			Long term exposure local effect
			DNEL Inhalation dust
			3 mg/m ³

Biological limit values	None
Recommended surveillance	None
procedure	

8.2 Exposure controls

8.2 Exposure controls	l	
8.2.1 Recommended technical	None	
control measures		
8.2.2 Individual protection		
measures, e.g. personal		
protection equipment		
Eye/face protection	Use prot	ective goggles if dusty handling.
Skin protection	i)	Use protective gloves of PVC, nitrile or butyl.
i) Hand protection (material,		Permeation time not known, but probably > 8 h.
thickness, breakthrough	ii)	Normal working clothes. No special protection
time)		
ii) Other protection		
Respiratory protection	None.	
8.2.3 Environmental exposure	Avoid lar	ge leakage to surface water or sewage system
control		
-		·



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance/State of	Solid powder
aggregation	
Colour	Light Grey
Odour	None
Density	appr. 4.5 kg/l
Decomposing point	180 °C (FeOOH)
Oxidizing properties	No oxidizing properties
Solubility in water	< 0.001 g/l
рН	3.5-8
Fire hazards	The pigment has no fire hazard.

9.2 Other information

-

10. STABILITY AND REACTIVITY

10.1 Reactivity	The product is not reactive during normal handling and
	storage conditions.
10.2 Chemical stability	Stable at normal storing conditions
10.3 Possibility of hazardous	None
reactions	
10.4 Conditions to avoid	Do not store above normal room temperature.
10.5 Incompatible materials	Strong acids, bases and oxidizing agents.
10.6 Hazardous	None
decomposition products	

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

General information: Iron is an essential metal and used among other as part of the blood haemoglobin for oxygen transport. Recommended daily intake is 10-18 mg/day depending on sex. Iron is however poisonous in high doses with below symptoms.

Acute toxicity

Iron: LC50 (oral rat) 98.6 g/kg

LC50 (6h during totally 20 days on rat) > 250 mg/m³

Ingestion: Hazard of iron poisoning. Symptoms are nausea, stomach ache and vomiting.

Inhalation: May cause some transient irritation to the respiratory tract.

Skin contact: Has no effect on skin. Can cause rust pigmentation or irritate the skin at long term exposure.

Eye contact: Can give transient mild irritation. Mechanically irritation of the eye is possible

Sensitization: Not a sensitizer.
Carcinogenic effects: None known.
Reproductive toxicity: None known.
Mutagenic effects: None known.

11.2. Information on other hazards

-



12. ECOLOGICAL INFORMATION

12.1 Toxicity

Acute toxicity:

Iron (Data Prevent, type or iron is not given):

EC50 Daphnia 48h: 5.2 mg/l IC50 Algae 72h: 0.1 mg/l

Long term toxicity: No data.

Terrestrial organisms: The product is probably not harmful for terrestrial organism, but data is

lacking.

Plants: The product is probably relatively harmless for plants, but data is lacking.

Effects on micro-organisms living in wastewater treatment plants

The product has no known effect on microorganism living in wastewater treatment plants.

12.2 Persistence and degradability

Not relevant for inorganic substances.

12.3 Bioaccumulative potential

Not relevant for inorganic substances.

12.4 Mobility in soil

The product is slightly water soluble and this results in mobility in the eco system.

12.5 Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substance.

12.6. Endocrine disrupting properties

No ingredients in the product have any endocrine disruptor effect.

12.7. Other adverse effects

None known.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment	a) Emptied plastic package are sorted as plastic.
methods	The pigment must be put on a landfill with a legal permit.
	b) There are no physical/chemical properties that may affect
	the waste treatment solutions.
	c) Larger residues should not be released to the sewage
	system. No special security measures concerning waste
	treatment methods are needed.
Waste codes (EWC)	Depends where the waste is produced, but suitable codes are
	02 03 03, 20 01 28, 08 01 14.
The product is classified as	No.
hazardous waste	
Waste codes (EWC) for the	A suitable code for the package is 15 01 02.
container	
A not thoroughly cleaned	No
container is considered	



dangerous waste	
Other information	See section 8 for personal protection during disposal of
	waste.

14. TRANSPORT INFORMATION

General	Not classified as hazardous goods
14.1 UN number	-
14.2 UN Proper Shipping	-
Name	
14.3 Transport hazard	-
class(es)	
14.4 Packing group	-
14.5 Environmental hazards	-
14.6 Special precautions for	-
users	
14.7 Maritime transport in	-
bulk according to IMO	
instruments	

15. REGULATORY INFORMATION

15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture

No relevant.

15.2 Chemical safety assessment

Chemical safety assessment is probably done for substances in the product, but Allbäck has no access to this information.

16. OTHER INFORMATION

This SDS is changed in the following sections:

Headlines in some sections according to Regulation (EU) 2020/878.

Sources for data in this SDS

- SDS from supplier of ingredients for this product.
- ECHA data base registered substances. http://echa.europa.eu

Other information:

The safety data sheet is based on Annex II of the REACH regulation 1907/2006/EC and the CLP regulation EC 1272/2008.